Sample Matrix: CBD/HEMP Edibles (Ingestion)





721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com **DEA No.** RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

## **Certificate of Analysis**

**Compliance Test** 

Client Information:

**Nectar Confections, Ltd** 

PO Box 70672

Milwaukee, WI 53207-0672

Order # NEC230630-030001 Order Date: 2023-06-30 Sample # AAEQ330

Batch # HP230003 Batch Date: 2023-06-22 Extracted From: Hemp

Test Reg State: Florida

Production Facility: Milwaukee, WI

Production Date: 2023-06-22

Initial Gross Weight: 39.130 g Net Weight: 36.630 g

Number of Units:

Net Weight per Unit: 3663.000 mg





Product I mage

Delta 8/Delta 10 Specimen Weight: 15		Tested SOP13.052 (LCUV)		
ieces For Panel: 10				
	LOD	1.00	Pocult	

Pieces For Panel: 10					
Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)	
Delta-8 THC	2.60E-5	0.0015	11.850	1.185	
Delta-9 THC	1.30E-5	0.1	1.700	0.170	
Delta6a10a-THC	8.47E-5	0.0015	0.030	0.003	
CBC	1.80E-5	0.0015	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBD	5.40E-5	0.0015	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBDA	1.00E-5	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
CBDV	6.50E-5	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
CBG	2.48E-4	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
CBGA	8.00E-5	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
CBN	1.40E-5	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
Delta-10 THC	3.00E-6	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
THCA-A	3.20E-5	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
THCV	7.00E-6	0.0015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
Total Active CBD			<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
Total Active THC			1.700	0.170	

<b>✓</b> Potency Summary				
Total Delta 8 1.185% 43.410mg	Total Delta 10 None Detected			
Total Active THC 0.170% 6.230mg	Total Active CBD None Detected			
Total CBG None Detected	Total CBN None Detected			
Other Cannabinoids 0.003% 0.110mg	Total Cannabinoids 1.358% 49.740mg			

Lab Director/Principal Scientist Aixia Sun



D.H.Sc., M.Sc., B.Sc., MT (AAB)





Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBC + CBTA = THC + Total CBC + Total THC + Total THC + Total THC + Total CBC + Total THC - O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, (pg/s) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (pg/g), (au) = Water Activity, (mg/kg) = Milligram per Kilogram, ACs se simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5k-4.034, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

-VAHCA